



## INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known

Application Number	10/528,183
Filing Date	May 27, 2005
First Named Inventor	ULLMAN, Katharine
Group Art Unit	1644
Examiner Name	Unassigned

### U.S. PATENT DOCUMENTS

Examiner's Initials	Cite No.	Document No.	Date	Name	Class	Subclass	Filing Date (if appropriate)

### FOREIGN PATENT DOCUMENTS

Examiner's Initials	Cite No.	Country Code-Number-Kind Code	Date	Name	Translation Yes/No

### NON-PATENT DOCUMENTS

(include Author, Title, Publisher, Relevant Pages, Date and Place of Publication)

Examiner's Initials	Cite No.	
/SHS/	A1	Acharya, et al., (1995). The Formation of Golgi Stacks from Vesiculated Golgi Membranes Requires Two Distinct Fusion Events. Cell 82, 895-904.
	A2	Aitchison, J. D., and Rout, M. P. (2002). A Tense Time for the Nuclear Envelope. Cell 108, 301-304.
	A3	Beaudouin, et al., (2002). Nuclear Envelope Breakdown Proceeds by Microtubule-Induced Tearing of the Lamina. Cell 108, 83-96.
	A4	Buendia, B., and Courvalin, J. C. (1997). Domain-Specific Disassembly and Reassembly of Nuclear Membranes during Mitosis. Exp Cell Res 230, 133-144.
	A5	Burke, B., and Ellenberg, J. (2002). Remodeling the Walls of the Nucleus. Nat Rev Mol Cell Biol 3, 487-497.
	A6	Collas, I., and Courvalin, J. C. (2000). Sorting nuclear membrane proteins at mitosis. Trends Cell Biol 10, 5-8.
	A7	Cotter, et al., (1998). Nuclear Pore Complex Disassembly and Nuclear Envelope Breakdown during Mitosis May Occur by Both Nuclear Envelope Vesicularisation and Dispersion Throughout the Endoplasmic Reticulum. Scanning 20:3, 250-251.
	A8	Daigle, et al., (2001). Nuclear pore complexes form immobile networks and have a very low turnover in live mammalian cells. J Cell Biol 154, 71-84.
	A9	Dimaano et al., (2001). RNA Association Defines a Functionally Conserved Domain in the Nuclear Pore Protein Nup153. J Biol Chem 276, 45349-45357.
	A10	Drummond, et al., (1999). Temporal Differences in the Appearance of NEP-B78 and an LBR-like Protein during Xenopus Nuclear Envelope Reassembly Reflect the Ordered Recruitment of Functionally Discrete Vesicle Types. J Cell Biol 144, 225-240.
	A11	Ellenberg, et al., (1997). Nuclear membrane dynamics and reassembly in living cells: targeting of an inner nuclear membrane protein in interphase and mitosis. J Cell Biol 138, 1193-1206.
	A12	Ewald, et al., (1997). Preassembly of annulate lamellae in egg extracts inhibits nuclear pore complex formation, but not nuclear membrane assembly. Eur J Cell Biol 73, 259-269.
	A13	Fahrenkrog, et al., (2002). Domain-specific antibodies reveal multiple-site topology of Nup153 within the nuclear pore complex. J Struct Biol 140, 254-267.
	A14	Featherstone, et al., (1985). Newly Synthesized G Protein of Vesicular Stomatitis Virus is not Transported to the Golgi Complex in Mitotic Cells. J Cell Biol 101, 2036-2046.

Examiner Signature:

Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

# INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known

Application Number	10/528,183
Filing Date	May 27, 2005
First Named Inventor	ULLMAN, Katharine
Group Art Unit	1644
Examiner Name	Unassigned

/SHS/	A15	Frangioni, J. V., and Neel, B. G. (1993). Solubilization and Purification of Enzymatically Active Glutathione S-Transferase (pGEX) Fusion Proteins. Anal Biochem 210, 179-187.
/SHS/	A16	Gant, T. M., and Wilson, K. L., (1997). ARF is not required for nuclear vesicle fusion or mitotic membrane disassembly in vitro: evidence for a non-ARF GTPase in fusion. Eur J Cell Biol 74, 10-19.
	A17	<del>Genbank Accession No. AA474582</del>
	A18	<del>Genbank Accession No. AF045567</del>
	A19	<del>Genbank Accession No. AF434196</del>
	A20	<del>Genbank Accession No. NP_057635</del>
/SHS/	A21	Gönczy, P. (2002). Nuclear Envelope: Torn Apart at Mitosis. Curr Biol 12, R242-244.
	A22	Griffis, et al., (2002). Nup98 is a Mobile Nucleoporin with Transcription-dependent Dynamics. Mol Biol Cell. 13:1282-1297.
	A23	Hang, J., and Dasso, M. (2002). Association of the Human SUMO-1 Protease SENP2 with the Nuclear Pore. J Biol Chem 277, 19961-19966.
	A24	Hetzer, et al. (2001). Distinct AAA-ATPase p97 complexes function in discrete steps of nuclear assembly. Nat Cell Biol 3, 1086-1091.
	A25	Kahn, et al., (1992). The Amino Terminus of ADP-Ribosylation Factor (ARF) is a Critical Determinant of ARF Activities and is a Potent and Specific Inhibitor of Protein Transport. J Biol Chem 267, 13039-13046.
	A26	Kondo, et al., (1997). p47 is a cofactor for p97-mediated membrane fusion. Nature 388, 75-78.
	A27	Kumar et al., (2001). Perturbing Nuclear Transport in Drosophila Eye Imaginal Discs Causes Specific Cell Adhesion and Axon Guidance Defects. Dev Biol; 240(2):315-25.
	A28	Lenart, P., and Ellenberg, J. (2003). Nuclear envelope dynamics in oocytes: from germinal vesicle breakdown to mitosis. Curr Opin Cell Biol 15, 88-95.
	A29	Lenart, et al., (2003). Nuclear envelope breakdown in starfish oocytes proceeds by partial NPC disassembly followed by a rapidly spreading fenestration of nuclear membranes. J Cell Biol 160, 1055-1068.
	A30	Liu, et al., (2003). The COPI Complex Functions in Nuclear Envelope Breakdown and is Recruited by the Nucleoporin Nup153. Dev Cell.; 5(3):487-98.
	A31	Meyer, et al., (2002). Direct binding of ubiquitin conjugates by the mammalian p97 adaptor complexes, p47 and Ufd1-Npl4. Embo J 21, 5645-5652.
	A32	Moroiaru et al., (1997). RanGTP-mediated nuclear export of karyopherin alpha involves its interaction with the nucleoporin Nup153. Proc Natl Acad Sci USA 94, 9699- 9704.
	A33	Murray, et al., (1989). The role of cyclin synthesis and degradation in the control of maturation promoting factor activity. Nature 339, 280-285.
	A34	Nakieli, et al., (1999). Nup153 is an M9-containing mobile nucleoporin with a novel Ran-binding domain. Embo J 18, 1982-1995.
	A35	Newport, J., and Spann, T. (1987). Disassembly of the Nucleus in Mitotic Extracts: Membrane Vesicularization, Lamin Disassembly, and Chromosome Condensation are Independent Processes. Cell 48, 219-230.
	A36	Nickel, et al., (2002). Vesicular transport: the core machinery of COPI recruitment and budding. J Cell Sci 115, 3235-3240.

Examiner Signature:

Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

# INFORMATION DISCLOSURE STATEMENT LIST

(Use as many sheets as necessary)

Complete if Known

Application Number	10/528,183
Filing Date	May 27, 2005
First Named Inventor	ULLMAN, Katharine
Group Art Unit	1644
Examiner Name	Unassigned

/SHS/	A37	Pante, et al., (1994). Interactions and Three-Dimensional Localization of a Group of Nuclear Pore Complex Proteins. <i>J Cell Biol</i> 126, 603-617.
	A38	Powers, M. A., Evans, E. K., Yang, J., and Kornbluth, S. (2001). Preparation and use of interphase <i>Xenopus</i> egg extracts. In <i>Current Protocols in Cell Biology</i> (New York, John Wiley & Sons), pp. 11.10.1-11.11.24.
	A39	Powers, et al., (1995). Reconstituted Nuclei Depleted of a Vertebrate GLFG Nuclear Pore Protein, p97, Import but are Defective in Nuclear Growth and Replication. <i>J Cell Biol</i> 128, 721-736.
	A40	Rabouille, et al., (1995). An NSF-like ATPase, p97, and NSF Mediate Cisternal Regrowth from Mitotic Golgi Fragments. <i>Cell</i> 82, 905-914.
	A41	Rossanese, O. W., and Glick, B. S. (2001). Deconstructing Golgi inheritance. <i>Traffic</i> 2, 589-596.
	A42	Ryan, K. J., and Wente, S. R. (2002). Isolation and characterization of new <i>Saccharomyces cerevisiae</i> mutants perturbed in nuclear pore complex assembly. <i>BMC Genet</i> 3, 17.
	A43	Salina, et al., (2002). Cytoplasmic Dynein as a Facilitator of Nuclear Envelope Breakdown. <i>Cell</i> 108, 97-107.
	A44	Sasagawa, et al., (1999). In vitro nuclear assembly with affinity-purified nuclear envelope precursor vesicle fractions, PV1 and PV2. <i>Eur J Cell Biol</i> 78, 593-600.
	A45	Shah, S., and Forbes, D. J. (1998). Separate nuclear import pathways converge on the nucleoporin Nup153 and can be dissected with dominant-negative inhibitors. <i>Curr Biol</i> 8, 1376- 1386.
	A46	Shah, S., Tugendreich, S., and Forbes, D. (1998). Major Binding Sites for the Nuclear Import Receptor are the Internal Nucleoporin Nup153 and the Adjacent nuclear Filament Protein Tpr. <i>J Cell Biol</i> 141, 31-49.
	A47	Shorter, J. and Warren, G. (2002). Golgi Architecture and Inheritance. <i>Annu Rev Cell Dev Biol</i> .
	A48	Smythe, et al., (2000). Incorporation of the nuclear pore basket protein nup153 into nuclear pore structures is dependent upon lamina assembly: evidence from cell-free extracts of <i>Xenopus</i> eggs. <i>Embo J</i> 19, 3918-3931.
	A49	Stade et al., (2002). A Lack of SUMO Conjugation Affects cNLS-dependent Nuclear Protein Import in Yeast. <i>J Biol Chem.</i> ; 277(51):49554-61.
	A50	Sukegawa, J., and Blobel, G. (1993). A Nuclear Pore Complex Protein that Contains Zinc Finger Motifs, Binds DNA, and Faces the Nucleoplasm. <i>Cell</i> 72, 29-38.
	A51	Suntharalingam, M. and Wente, S. R. (2003). Peering through the pore: Nuclear Pore Complex Structure, Assembly, and Function. <i>Dev. Cell</i> 4: 775-89.
	A52	Sutterlin, et al., (2002). Fragmentation and Dispersal of the Pericentriolar Golgi Complex is Required for Entry into Mitosis in Mammalian Cells. <i>Cell</i> 109:359-69.
	A53	Terasaki, et al., (2001). A New Model for Nuclear Envelope Breakdown. <i>Mol Biol Cell</i> 12, 503- 510.
	A54	Ullman, et al., (1999). The Nucleoporin Nup153 Plays a Critical Role in Multiple Types of Nuclear Export. <i>Mol Biol Cell</i> 10, 649-664.
	A55	Vasu, S. K., and Forbes, D. J. (2001). Nuclear Pores and Nuclear Assembly. <i>Curr Opin Cell Biol</i> 13, 363-375.
	A56	Vasu, et al., (2001). Novel vertebrate nucleoporins Nup133 and Nup160 play a role in mRNA export. <i>J Cell Biol</i> 155, 339- 353.
▼	A57	Vigers, G. P., and Lohka, M. J. (1991). A Distinct Vesicle Population Targets Membranes and Pore Complexes to the Nuclear Envelope in <i>Xenopus</i> Eggs. <i>J Cell Biol</i> 112, 545-556.

Examiner Signature:

Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<b>INFORMATION DISCLOSURE            STATEMENT LIST</b>  (Use as many sheets as necessary)		Complete if Known	
		Application Number	10/528,183
		Filing Date	May 27, 2005
		First Named Inventor	ULLMAN, Katharine
		Group Art Unit	1644
		Examiner Name	Unassigned
/SHS/	A58	Walther, et al., (2001). The nucleoporin Nup153 is required for nuclear pore basket formation, nuclear pore complex anchoring and import of a subset of nuclear proteins. Embo J 20, 5703-5714.	
	A59	Wang, et al., (2003). Structure and Ubiquitin Interactions of the Conserved Zinc Finger Domain of Npl4. J Biol Chem., 20225-20234.	
	A60	Yang, L., Guan, T., and Gerace, L. (1997). Integral Membrane Proteins of the Nuclear Envelope are Dispersed throughout the Endoplasmic Reticulum during Mitosis. J Cell Biol 137, 1199-1210.	
	A61	Zaal, et al., (1999). Golgi Membranes Are Absorbed into and Reemerge from the ER during Mitosis. Cell 99, 589-601.	
↓	A62	Zhang, H., Saitho, H., and Matunis, M. J. (2002). Enzymes of the SUMO Modification Pathway Localize to Filaments of the Nuclear Pore Complex. Mol Cell Biol 22, 6498-6508.	

Examiner Signature:	/Shulamith Shafer/	Date Considered:	12/21/2007
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			